

UltraTech

THERMOCON PLUS





Cracks on reputation are irreparable.

Monolithic landmarks projects are a great opportunity to showcase our competence and build an enduring reputation.

But such projects also run the risk of thermal cracking that can cause irreparable damage to our hard earned reputation.

Current solutions to avoid thermal cracks are cumbersome and demand constant supervision. Lack of control on the process causes high anxiety and poses huge professional, legal and reputational risk.

Introducing

UltraTech THERMOCON PLUS

An amazing concrete that protects the structures from thermal cracking.

UltraTech ThermoCon Plus has a unique formulation that restricts the core temperature within prescribed limits to prevent thermal cracks. **UltraTech** ThermoCon Plus also offers scientific monitoring of the core temperature for complete assurance and peace of mind.

Why settle for the ordinary, when you can build the extraordinary!











Advantages:

- Prevention of thermal cracks
- No rapid loss of workability of concrete
- Lower placement temperature of concrete
- End to end solution



Technical Specifications:

- Differential temperature < 20°C
- Core temperature <70°C



Application Areas:

Mass foundations, rafts or structures with very high grade of concrete





AQUASEAL
DECOR
DURAPLUS
FREEFLOW PLUS
iFLOORS
LITECON
RAPID



THERMOCON PLUS

ZIP FIRESAFE PERVIOUS



1800-210-3311



https://www.ultratechcement.com/products/value-added-concrete



face book.com/ultrate chcement limited



twitter.com/ultratechcement



